

X-Prep



Drug Facts

Active ingredient(s)	Purpose
(in each <i>Rectolax® suppository</i>) Bisacodyl 10mg	Stimulant laxative
(in each <i>X-Prep® liquid bottle</i>) Standardized senna concentrate, 130mg sennosides	Stimulant laxative
(in each <i>Senokot-S® tablet</i>) Docusate sodium 50mg	Stool Softener laxative
Standardized senna concentrate, 8.6mg sennosides	Stimulant laxative

Use as part of a bowel cleansing regimen in preparing patients for surgery or for preparing the colon for x-ray or endoscopic examination

Warnings

Do not use

- this product unless directed by a doctor
- any of these preparations when abdominal pain, nausea, or vomiting are present

When using this product

- rectal suppositories may cause
- stomach discomfort
- faintness
- rectal burning
- mild cramps

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental swallowing of suppository or overdose, get medical help or contact a Poison Control Center right away.

Directions

- open and read the enclosed directions and labels at least 24 hours in advance of examination
- follow each step and complete all instructions or the entire x-ray or endoscopic examination may have to be repeated

Other information

Kit Contents: X-Prep® Liquid 2 1/2 Fl Oz, Alcohol-Free Formula, 2 Senokot-S® Tablets, 1 Rectolax® Suppository

- Diabetic patients: Note - consult your physician concerning the sugar content of X-Prep Liquid (50 g per 2 1/2 Fl Oz dose)

- store at temperatures between 46° and 86°F (8° and 30°C)

Inactive ingredients

(*Rectolax suppository*) hydrogenated vegetable oil
 (*X-Prep liquid*) flavor, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sucrose

(*Senokot-S®*) cellulosic polymers, corn starch, D&C yellow no. 10, FD&C yellow no. 6 (sunset yellow), guar gum, lactose, magnesium stearate, polyethylene glycol, purified water, talc, titanium dioxide